


ASSEMBLY INSTRUCTIONS



1. Simply assemble the rod by interlocking, following the numbering of the stickers on the tubulars

ATTENTION - the number of tubulars varies depending on the format chosen



2. Insert the pole into the slot of the flag and pull until insertion is complete



3. Insert the fixing ring and lock in position by acting on the ring nut, then tension the flag by applying the cord present to the ring hook


NOTE

It is possible to accessorize Vela Deluxe with various types of pedestal. See the section “OPTIONAL BASE” on our e-commerce.



youtube.com/StudioStandsSrl
for the assembly video tutorial

ASSEMBLY INSTRUCTIONS




- ABUNDANCE**
- CUT**
- SAFETY MARGIN**
(Do not place important content beyond this margin))

INFO FILE

Formats: .eps .pdf .jpg .tiff
Color profile: CMYK
Images: 100dpi - 1000dpi (for 1:10 scale files)
Fonts: converted into paths
Die path: only cutting path (where present)

ASSEMBLY INSTRUCTIONS




- ABUNDANCE**
- CUT**
- SAFETY MARGIN**
(Do not place important content beyond this margin))

INFO FILE

Formats: .eps .pdf .jpg .tiff
Color profile: CMYK
Images: 100dpi - 1000dpi (for 1:10 scale files)
Fonts: converted into paths
Die path: only cutting path (where present)

ASSEMBLY INSTRUCTIONS




- ABUNDANCE**
- CUT**
- SAFETY MARGIN**
(Do not place important content beyond this margin))

INFO FILE

Formats: .eps .pdf .jpg .tiff
Color profile: CMYK
Images: 100dpi - 1000dpi (for 1:10 scale files)
Fonts: converted into paths
Die path: only cutting path (where present)

ASSEMBLY INSTRUCTIONS



- ABUNDANCE**
- CUT**
- SAFETY MARGIN**
(Do not place important content beyond this margin))

INFO FILE

Formats: .eps .pdf .jpg .tiff
Color profile: CMYK
Images: 100dpi - 1000dpi (for 1:10 scale files)
Fonts: converted into paths
Die path: only cutting path (where present)